

ASTRONOMY

TECHNOLOGY TODAY

Your Complete Guide to Astronomical Equipment

DEEP-SKY PLANNER VERSION 5.1 • ATM TELESCOPE SHELVES

WILLIAM OPTICS GRAND TURISMO 81 FD TRIPLET • THE INNOVATIONS FORESIGHT ONAG
THE SKYLIGHT 100-MMF/13 REFRACTOR • WHY CREATE ENGLISH VICTORIAN REFRACTORS?
RSPEC REAL-TIME SPECTROSCOPY • FIXING A BROKEN TELRAD

OBSERVING THE JUNE 2012 VENUS TRANSIT

THE RIGHT EQUIPMENT FOR THE JOB

Cover Story: Pages 33 - 37

The cover image was captured by Dr. James Dire during the 2004 transit of Venus while experimenting with eyepiece projection photography through a 10-mm Plössl inserted into an 80-mm refractor equipped with a 40-mm Coronado H-alpha filter. Although generally dissatisfied with the results of this afocal method due to complications introduced by the autofocus of his point-and-shoot camera – such was the state of digital astrophotography in 2004 – Dr. Dire managed to capture this excellent representation of the dramatic black-drop effect at point of third contact caused by atmospheric scintillation. Dr. Dire's feature article, Observing the June 2012 Venus Transit, covers equipment he has had success with, which still includes some decidedly old-school techniques, such as solar projection.



In This Issue

12 Editor's Note

Why Didn't I Think of That!?
By Gary Parkerson

33 Observing the June 2012 Venus Transit

The Right Equipment for the Job
By James R. Dire, Ph.D.

39 Deep-Sky Planner

Get a Plan: Deep-Sky Planner Version 5.1
By Uncle Rod Mollise

45 ATM Telescope Shelves

In Search of Flat Surfaces
By Rick Saunders

49 William Optics Grand Turismo 81 FD Triplet

Rejuvenating the 80-mm Refractor Class
By Pierre Stromberg

53 The Innovations Foresight ONAG

On-Axis Guiding
By Dr. Gaston Baudat

59 The Skylight 100-mm f/13 Refractor

Tale of a Different Experience
By John Nanson

63 Skylight Telescopes

Why Create English Victorian Refractors?
By Richard Day

69 RSpec Real-Time Spectroscopy

An Astronomy Path Less Taken
By Rick Hiestand

72 Astro Tips, Tricks & Novel Solutions

Fixing a Broken Telrad
Scopestuff.com to the Rescue!
By Doug Riley



Industry News

15 QUANTUM SCIENTIFIC IMAGING

QSI 500 Series Upgrades




16 SUTHERN STARS

Announces Latest Version of SkyFi

17 CELESTRON

Founder Tom Johnson Passes Away



18 NEAF/NEAIC

Coming April 26 – 29

19 DARK SKIES APPAREL

Introduces Deep Sky Forum Website

19 LUNÁTICO ASTRONOMÍAL

SeleTEK Software V4.0 Released



20 CELESTRON

Names Daniel Mounsey Specialty Accounts Sales Manager



Dr. Gaston Baudat received his engineering degree 1982 in Switzerland and a Ph.D. in computer science in 2006. Following his passion he went to Madagascar in 1986 to take pictures of the Halley's Comet, one of which won a contest in the French magazine *Science & Vie*. In 2007, he cofounded Innovations Foresight.

Richard Day is originally from the west coast of Canada and has wandered a bit since then: From Radio DJ in Canada, backpacking through Europe and working as a Ski Instructor in Austria, to working as bar staff in Wimbledon, then full-time Dad and finally telescope maker in London. Richard believes no stars shine as brightly as those in the eyes of his son, Jackson.



Dr. James Dire has an M.S. degree in physics from the University of Central Florida and M.A. and Ph.D. degrees from The Johns Hopkins University, both in planetary science. He has been a professor of physics and astronomy at several colleges and universities. Currently he is the Vice Chancellor for Academic Affairs at Kauai Community College in Hawaii. He has played a key role in several observatory projects including the Powell Observatory in Louisburg, KS, which houses a 30-inch (0.75-m) Newtonian; the Naval Academy observatory with an 8-inch (0.20-m) Alvin Clark refractor; and he built the Coast Guard Academy Astronomical Observatory in Stonington, CT, which houses a 20-inch (0.51-m) Ritchey-Chrétien Cassegrain telescope.

Rick Hiestand is a CNC machinist and shop owner with extensive experience in aerospace, motion-picture props and the medical field. Rick is an avid amateur astronomer with over twenty years experience in visual observation and video imaging. He is currently a volunteer for the National Park Service at Joshua Tree National Park, presenting night-time video imaging for the public night-sky program. During the day he offers solar views in H-alpha and a spectroscope at the park's visitors center.



"Uncle" Rod Mollise, despite a demanding day job as an engineer with an aerospace firm, still finds time to teach astronomy to undergraduates at the University of South Alabama, write books and magazine articles about astronomy, and observe.

John Nanson retired in 2007 from twenty-five years as a manager in the trucking industry and now spends much of his time under the dark skies of the northwest coast of Oregon (Manzanita). When he can convince the clouds and rain to go plague someone else, he patrols the scurrilous coastal skies for difficult double stars with over-length refractors. Many of those adventures can be found on the Star Splitter blog he co-writes with Greg Stone.



Doug Reilly is an amateur astronomer in the Finger Lakes region of New York State. He blogs about sharing astronomy with the public and organizes star parties at www.punkastronomy.com and he's building a bicycle-transportable ultralight 10-inch Dob.

Rick Saunders is an amateur astronomer, inveterate tinkerer and member of the Royal Astronomical Society of Canada, London Centre. His passion is DSLR imaging and on cloudy nights he spends his time designing and building equipment to help further that passion.



Pierre Stromberg works in the software quality-assurance industry in Seattle, Washington, and has indulged in amateur astronomy and astrophotography on and off over the past 30 years. Though he has a variety of scopes, Pierre still regards his first, a Celestron 8 from Roger Tuthill, as his favorite.

Contents

New Products

21 IOPTRON

Introduces the iEQ30 Mount



22 WAITE RESEARCH

To Debut Renegade 20-inch Newtonian Telescope at NEAF

23 FAR LABORATORIES

Lyra Double Double Mounting System

24 RIGEL SYSTEMS

New USB-nFOCUS



25 TELESCOP SERVICE

TS OAG9 Off Axis Guider Offers Extreme 9-mm Low Profile

26 ASTROZAP

More New Products



27 ASTRO PHYSICS

Introduces New Accessories

29 JMI

Expands Applications for Motofocus and Wheely Bars

30 ORION

StarShoot LCD-DVR

Observing the June 2012 Venus Transit

The Right Equipment for the Job

By James R. Dire, Ph.D.

Since no Venus transits occurred in the 20th century, professional and amateur astronomers took great interest in the June 2004 transit. Myriad articles and books were published in the last decade covering the history and physics of Venus transits. Now we are approaching the June 2012 transit, the last opportunity to witness this rare celestial event until the 22nd century! While many publications this year continue to focus on Venus transit history and where the best viewing will be, this article will concentrate on the equipment and techniques to use for observing and imaging the event.

Since the 2004 Venus transit began hours before sunrise on the U.S. East Coast, I decided to go to Europe to see the entire transit. I had the amazing experience of travelling to Germany and observed the entire six-hour event under perfect cloud-free skies.

I took along three telescopes: a 4.5-inch $f/6$ Newtonian, 5-inch $f/10$ Schmidt Cassegrain (SCT) and an 80-mm $f/6$ refrac-



Image 1 - The author's 4.5-inch Newtonian projects the Sun onto a screen while he captured H-alpha images using the refractor on the same mount.

OBSERVING THE JUNE 2012 VENUS TRANSIT



Image 2 - The black dot on the left side of this solar projection is Venus in mid-transit on June 8, 2004.

tor. In addition, I carried two telescope solar filters, two equatorial mounts with tripods, one SLR camera, one non-SLR digital camera, a video camcorder, and two camera tripods. All of this fit into

two large cases and four carry-on bags. My then 17-year-old son and I packed all of our clothes around the equipment for padding.

For viewing any solar event, I like to

project the Sun's disk onto a screen using an unfiltered, small Newtonian telescope (see **Image 1**). Newtonians are the best telescopes for solar projection, since the tubes are open to the air and won't heat up on the inside due to the Sun's strong rays.

Now the eyepieces are a different story. I never use an expensive multi-element eyepiece for solar projection. These eyepieces usually have adhesives holding the elements together and would get hot enough to ruin them. A single element eyepiece (if such exist) or a two-element eyepiece where there is an air gap between the lenses works the best.

I use 18-mm and 30-mm Ramsden eyepieces for solar projection. The elements in each are about an inch apart. Yes they get very warm, but they have survived decades of use in this manner with no ill affect. Still, I wouldn't recommend an aperture greater than 3-4 inches for solar projection, even with

WAITE RESEARCH TELESCOPE ANNOUNCED

Renegade 20 Telescope with Precision Waite Research Mirrors

What You Want

- Large aperture ultra-fast mirror
- Very wide field: exceptional for open clusters, galaxies, and nebulae
- 100% feet-on-the-ground observing

- Mirror, secondary and body all made by Waite Research
- Beautiful design

Enjoy a fabulous observing experience with both feet on the ground, or even seated! This 20" $f/3.0$ telescope is shorter than a 15" $f/4.5$. Leave your ladder at home!

What We Deliver

- Extraordinary 20" $f/3.0$ premium primary mirror with DVD test results
- Secondary mirror by Waite Research
- Wide field of view, about 1 degree with your 22mm eyepiece
- Eyepiece height under 60"
- Short truss tubes for a rigid structure
- CNC precision fabrication

- Starlight Instruments Lightweight Feather Touch focuser
- Free Tele Vue Paracorr included for pinpoint stars

Step up to a scope you don't have to step up to!

For product details, please contact Gordon Waite:
gordon@waiterresearch.com

732-977-2744 or 732-740-0695

Visit us at NEAF, booth 409, and ask us about special NEAF savings!

www.waiterresearch.com



these eyepieces. I once tried projecting the sun with a 10-inch Newtonian and I thought my eyepiece was going to melt. So, I made an aperture stop out of cardboard with an off-axis hole 4 inches in diameter and spray painted both sides black. The cardboard was cut to fit snugly inside the tube just above the secondary's spider. This worked great as it stopped down the aperture from f/4.5 to f/11.25.

I like to attach a small screen directly to the telescope for solar projection (see **Images 1 and 2**). My screen is a 6-inch on side square of clean white construction paper glued onto a metal plate. Once focused, since the telescope is polar aligned and tracking, no adjustments need be made during viewing.

With the 4.5-inch aperture, the size and brightness of the Sun's image projected on this screen is perfect for seeing details like sunspots; the chromosphere, diamond ring, and corona during a solar eclipse; and in this case (**Image 2**) Venus

passing in front of the Sun!

Other great reasons to do a solar projection are that you can record the event with a video camera on tripod, you can keep one eye on the event while fiddling with other telescopes and cameras, and a small group can all watch it together. If people come along and want to look through the other telescopes I am using for photography, I just point to the screen and say "the best view is right there!"

I have video-recorded many solar eclipses using this projection technique. To time the event, I just attach an accurate timepiece to the screen and/or play an audio short wave time signal which is recorded simultaneously by the video camera's microphone. In addition, with the camera recording, I audibly describe what I am seeing and doing with all my equipment for future playback, thereby eliminating the need to write notes.

Before GPS came into existence, to polar align an equatorial mount in broad



Image 3 - TPolar aligned and tracking the Sun, the author's SLR camera is attached to a 5-inch Schmidt Cassegrain telescope.

Telescope Making & Upgrades

BlackLite telescope tubes
HOT PRODUCT 2006 SKY & TELESCOPE

Professional grade secondary mountings available in 4-vane, 3-vane, and curved styles.
ULS Quartz

Lightweight phenolic & kraft paper composite. **Pre-lined w/ flocking.** End trim, end covers, and other accy's available.
Premium secondary mirrors available in Pyrex or quartz.
Ultra black flocked light trap material. Hi-tack cut sheets, or off the roll.

ProtoStar **www.protostar.biz** Toll free **866-227-6240**
 P.O. Box 448 Worthington OH 43085 614-785-0245 (outside USA)

SUBSCRIBE NOW!!!

BUY A FRIEND A GIFT SUBSCRIPTION!

ASTRONOMY TECHNOLOGY TODAY
www.astronomytechnologytoday.com

SkySafari
 the universe at your fingertips
 now for iOS and ANDROID

Available on the **App Store**

HOT PRODUCT 2012 SKY & TELESCOPE

Android Market

SOUTHERN STARS

www.southernstars.com

OBSERVING THE JUNE 2012 VENUS TRANSIT




Image - 4: Image of the transit at second contact using the equipment in Image 3. Note the absence of sunspots in 2004!


daylight I used a magnetic compass to determine magnetic north and then staked out a true north-south line knowing the offset between true and magnetic north for my location. Now I use a hand-

held GPS receiver to map a true north-south line. Then I point the mount's polar axis along this line. Since most small portable equatorial mount's latitude gauges are not accurate enough, I

use an inclinometer to adjust the mount for my latitude. This results in a decent enough alignment to keep the sun on my screen for tens of minutes, if not hours, without having to re-center the image.

The second mount I used for the last Venus transit (**Image 3**) hosted the C5 telescope with a Thousand Oaks solar filter. I attached my old Minolta X-570 SLR camera and photographed the transit using good old-fashion 35-mm film. **Image 4** shows an image of Venus at second contact (internal ingress). The actual instants of second and third contacts are difficult to determine due to the so-called black-drop effect caused by atmospheric scintillation. As seen in Image 4, this effect produces a black bridge between the edge of Venus and the apparent edge of the Sun. **Image 5** shows this effect at third contact.

The third telescope I used in 2004, an 80-mm refractor, rode piggyback on the Newtonian (Image 1). I used a 40-mm Coronado H-alpha filter on the refractor. With a 10-mm Plössl eyepiece, I projected the image into the lens of a small digital camera. Having never tried this before, this was an experiment to see how good an image I could get using this afocal method. Image 5 shows a typical image. It was an exercise in patience trying to tune the Coronado pre-filter, focus the telescope and hope that the autofocus on the digital camera would cooperate. It did not. In no image did I record any of the solar detail expected through



A big Dob on an Equatorial Platform is the ultimate observing machine. The Platform gives you precision tracking, whether you are observing with a high-power eyepiece, imaging with a CCD camera, or doing live video viewing with a MallinCam. Just check out this image of NGC3628 taken by Glenn Schaeffer with a 20-inch Dob on one of our Aluminum Platforms!


Visit our website for details about our wood and metal Equatorial Platforms, as well as our line of large-aperture alt/az SpicaEyes Telescopes. You can also call or email for a free color brochure.



EQUATORIAL PLATFORMS (530) 274-9113 • tomosy@nccn.net
www.equatorialplatforms.com

an H-alpha filter. However, it did provide my best images of the black-drop effect.

For the June 2012 Venus transit, I plan to use a digital-SLR camera for prime-focus imaging with my SCT and 4-inch refractor. The pictures through the Thousand Oaks filter should look the same.

I now obtain good images showing solar granulations and prominences through the H-alpha filter attached to my 4-inch refractor. Venus silhouetted in front of the Sun will make these images spectacular! And since we're near the peak of its sunspot cycle, plenty of sunspots should appear in 2012 Venus transit images. 




Image 5 - The black-drop effect at third contact during the 2004 Venus transit.





Mathis Instruments

Equatorial Mounts
Telescope Control
Astronomy Software

mathis-instruments.com
925 838-1487

- Custom observatory telescope mounts
- Equatorial forks for compact astrographs
- Large German mounts with unmatched stability
- Altazimuth forks for special applications
- Over three decades of experience building precision instruments

